Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1595414	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 12:42
S2		"113870".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/18 15:52
S3	4	"113870".ap. and (HTML or time or monitor or analyze or arrive or arrival or hidden or request or display or store or storing field\$1 or local or synchronize or synchronization or synchronizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:33
S4	4.	"414837".ap. and (HTML or time or monitor or analyze or arrive or arrival or hidden or request or display or store or storing field\$1 or local or synchronize or synchronization or synchronizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 11:53
S5	2	"6397253".pn. and (HTML or time or monitor or analyze or arrive or arrival or hidden or request or display or store or storing field\$1 or local or synchronize or synchronization or synchronizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 12:08
S6	2	"6170019".pn. and (HTML or time or monitor or analyze or arrive or arrival or hidden or request or display or store or storing field\$1 or local or synchronize or synchronization or synchronizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:15
S7	9	(network adj performance) with HTML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:19
S8	9	S7 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 12:14

S9	9	S8 and (HTML or time or monitor or analyze or arrive or arrival or hidden or request or display or store or storing field\$1 or local or synchronize or synchronization or synchronizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 12:15
S10	2	"6625647".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 10:22
S11		"612769".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ⁻	OFF	2006/01/09 13:20
S12	7262	(network adj performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/01/09 16:19
S13	5895	S12 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:20
S14	2459	S13 and (forward\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 16:20
S15	145	S14 and ((arrive or arrival) near time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/01/09 16:21
S16	13	S15 and ((departure or depart or departing) near3 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/01/09 16:21

			_			
S17 _		"5793976".pn. and (HTML or time or monitor or analyze or arrive or arrival or hidden or request or display or store or storing field\$1 or local or synchronize or synchronization or synchronizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 14:56
S18	197	display with (hidden near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:03
S19	172	S18 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:03
S20	. 11	S19 and cookie\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/01/10 14:58
S21	.46	S19 and display with (hidden adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:03
S22	46	S19 and (display with (hidden adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:08
S23	2293	(display\$1 or displaying) near3 hidden	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/01/10 15:09
S24	1834	S23 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/01/10 15:14

S25	1834	S24 and ((display\$1 or displaying) near3 hidden)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:09
S26	69	S24 and ((display\$1 or displaying) near3 (hidden near3 data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/01/10 15:09
S27	1	S24 and ((display\$1 or displaying) near3 (hidden near3 (web near3 page)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:11
S28	6	(web adj page\$1) with (hidden adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:11
S29	6	S28 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:14
530	0	S29 and ((display or displaying) near3 hidden)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:13
S31	46	S24 and (hidden with web)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 15:14
S32.	2	"5793976".pn. and local	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 11:32

CZZ	2026	(a) washing side (man u.2 Alice a) with	LIC DCDUB	OD	055	2006/04/40 46 20
S33	2036	(synchroni\$6 near3 time) with (node\$1 or Server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:29
S34	1552	S33 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:29
S35	1264	S34 and (synchroni\$6 near2 time) with (node\$1 or Server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:30
S36	31	S34 and (synchroni\$6 near2 (local adj time)) with (node\$1 or Server\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 16:30
S37	903	(arrival adj time) and (departure adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 11:33
S38	703	S37 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 11:32
539	1	S38 and (sort\$5 with ((arrival adj time) and (departure adj time)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 11:44
S40		S38 and (sort\$5 with (arrival adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 11:45

			7			
S41	17794	application adj server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:33
S42	11659	S41 and @ad<"20030401"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:33
S43	4880	S42 and performance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .·	OFF	2006/01/11 12:33
S44	1373	S43 and (measure or measurement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/01/11 12:34
S45	106	S44 and (execution adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:35
S46	0	S45 and (arrival adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:34
S47	0	(generation near time\$1) near5 (hidden near field\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 14:48
S48	0	(generation near5 time\$1) near5 (hidden near field\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 14:48

S49	54	(generation near5 time\$1) and(hidden near field\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 14:48
S50	. 54	(generation near5 time\$1) and (hidden near field\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 14:48
S51	44	S50 and @ad<"20010601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/02 14:48
S52		"10612769".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/18 15:54
S53	2	"6625647".pn. and (arrival or departure or generation or display\$3 or time\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/10/18 17:24
S54	1	"5793976" pn. and (arrival or departure or generation or display\$3 or time\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/10/18 16:14
S55	2	"6625647".pn. and loading	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/18 17:24
S56	7792	(display\$3 near3 time) near5 (stor\$3 or sav\$3) and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:08

S57	7792	((display\$3 near3 time) near5 (stor\$3 or sav\$3)) and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2006/10/19 10:14
S58	25	(((display\$3 near3 time) near5 (stor\$3 or sav\$3))) with browser\$1 and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/10/19 10:08
S59	. 3	"20020161794"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:41
\$60	0	"5793976".pn. and server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:41
S61	2	"6625647".pn. and server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:44
S62	2	"20020174421" and ((application near3 server\$1) or (database near3 Server\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:45
S63	3851	((application near3 server\$1) with (database near3 Server\$1)) and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:45
S64	3138	((application near3 server\$1) near5 (database near3 Server\$1)) and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 10:47

S65	51	(((application near3 server\$1) near5 (database near3 Server\$1)) with performance) and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2006/10/19 10:47
	,		DERWENT; IBM_TDB			·
S66 .	1	"6625647".pn. and database\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 10:22
S67	5	(boolean with image\$1 with (audio or sound)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 14:58
S68	. 0	"20050022104" and delet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ,	OFF	2006/11/07 15:16
S69	0	"20050022104" and delete	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:17
S70		"20050022104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:16
S71	0	"20050022104" and eras\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:17
S72	0	"20050022104" and remov\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:19

7/7/2007 1:54:50 PM C:\Documents and Settings\dmyint\My Documents\EAST\Workspaces\10-612-769__1.wsp Page 9

	[· · · · · · · · · · · · · · · · · · ·					
S73	2	"20030065635"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:19
S74	0	"20030065635" and delet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:19
S75	0	"20030065635" and remov\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:19
S76	0	"20030065635" and reas\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2006/11/07 15:19
S77	1	"20030065635" and record\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:20
S78	683	(edit\$3 same (delet\$3 or remov\$3) same (swap\$4 or exchang\$3 or interchang\$3)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:22
S79	40	((edit\$3 same (delet\$3 or remov\$3) same (swap\$4 or exchang\$3 or interchang\$3))) same record\$1 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:24
S80	1	(((edit\$3 with (name\$1 or filename\$1)) same (delet\$3 or remov\$3) same (swap\$4 or exchang\$3 or interchang\$3))) same record\$1 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:25

S81	54	(((edit\$3 with (name\$1 or filename\$1)) same (delet\$3 or remov\$3) same (swap\$4 or chang\$3 or interchang\$3))) same record\$1 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/11/07 15:31
\$82	246	(view\$3 with delet\$2 with record\$1) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/11/07 15:31
S83	32	((view\$3 with delet\$2 with record\$1) and (edit\$3 with fields)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:32
S84	39	((view\$3 with delet\$2 with record\$1) and (edit\$3 with field\$1)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:32
S85	2	((view\$3 with delet\$2 with record\$1) and (edit\$3 with field\$1) and ((chang\$3 or interchang\$3 or swap\$4) with (filename\$1 or file?name\$1)) and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/07 15:33
S86	26522	(internal near3 clock) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:52
S87	23808	(internal near2 clock) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:52
S88	19498	(internal adj clock) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/15 08:52

S89	58	((internal adj clock) with (local near3 time)) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR -	OFF	2006/11/16 12:31
S90	2	"20030177776"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/16 12:32
S91	9070	(network adj performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:53
S92	6457	S91 and @ad<"20030701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:53
S93	2779	S92 and (forward\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:53
S94	162	S93 and ((arrive or arrival) near time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:54
S95	8	S94 and HTML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 13:54
S96	1	"5793976".pn. and (stor\$3 or cach\$3 or keep\$3 or databases or (data near2 structure\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 12:52

S97	1	"6625647".pn. and (stor\$3 or cach\$3 or keep\$3 or databases or (data near2 structure\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/07 12:52
-----	---	---	---	----	-----	------------------